Ref #	Hits	Search Query	DBs	Default Operato	Plural s	Time Stamp
S1	1868125 8	@ad<"20000104"	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	r AND	ON	2006/03/23 14:43
S2	2	("20010032237").PN.	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2005/05/27 12:04
S3	5640	server same client same settings	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	AND	ON	2005/05/27 10:51
S4	3	internet with service with provider with setup near (information or settings)	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	AND	ON	2006/03/23 14:43
S5	1	internet with service with provider with setup near (information or settings) and client same server	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	AND	ON	2005/05/27 10:52
S6	9	internet with setup near (information or settings) and client same server	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	AND	ON	2005/05/27 10:54

S7	1	S6 and S2	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	AND	ON	2005/05/27 10:53
S8	3	S6 and S1	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	AND	ON	2005/05/27 10:53
S9	5202	(setup or configur\$) with internet with server	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	AND	ON	2005/05/27 11:27
S10	1066	S9 and S1	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	AND	ON	2005/05/27 11:28
S11	217	S10 and client and (ISP or (internet near server near provider))	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	AND	ON	2005/05/27 11:28
S12	94	S10 and client and (ISP or (internet near server near provider)) and setup and connect\$	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	AND	ON	2005/05/27 11:29

S13	20	S10 and client and (ISP or (internet near server near provider)) and setup and connect\$ and (generat\$ or creat\$) with (setup or settings)	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	AND	ON	2005/05/27 11:38
S14	2	("6543004").PN.	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2005/05/27 11:38
S15	16	((Internet near service near provider) or ISP) with receive with request same (client or user) same (setting or configur\$)	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	AND	ON	2005/05/27 12:0 <del>4</del>
S16	4	S15 and S1	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	AND	ON	2005/05/27 12:04
S17	2	("20010032237").PN.	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2005/10/24 09:15
S18	1869233 7	@ad<"20000104"	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	AND	ON	2005/10/24 09:15
S19	2990961	@ad<"20000104"	US-PGPU B; USPAT	AND	ON	2005/10/24 09:16

	·		, · · · · ·			
S20	8630	S19 and (ISP or (internet with service with provider))	US-PGPU B; USPAT	AND	ON	2005/10/24 09:16
S21	1	S19 and (ISP or (internet with service with provider)) and (settings or (configurat\$ near settings)) and detect\$ with setup near information	US-PGPU B; USPAT	AND	ON	2005/10/24 09:20
S22	0	S19 and "709"/\$.ccls. and (ISP or (internet with service with provider)) and (settings or (configurat\$ near settings)) and detect\$ same setup near information	US-PGPU B; USPAT	AND	ON	2005/10/24 09:21
S23	0	S19 and "709"/\$.ccls. and (ISP or (internet with service with provider)) and detect\$ same setup near information	US-PGPU B; USPAT	AND	ON	2005/10/24 09:21
S24	101	S19 and "709"/\$.ccls. and (ISP or (internet with service with provider)) and (detect\$ or monitor) same (settings or (setup near information))	US-PGPU B; USPAT	AND	ON	2005/10/24 09:22
S25	25	S19 and "709"/\$.ccls. and (ISP or (internet with service with provider)) and (detect\$ or monitor) same (settings or (setup near information)) and (automatic\$ or update) same (settings or (setup near information))	US-PGPU B; USPAT	AND	ON	2005/10/24 09:23
S26	25	S19 and "709"/\$.ccls. and (ISP or (internet with service with provider)) and (detect\$ or monitor) same (settings or (setup near information)) and (automatic\$ or update or reconfig\$) same (settings or (setup near information))	US-PGPU B; USPAT	AND	ON	2005/10/24 09:55

	·					
S27	22	S19 and "709"/\$.ccls. and (ISP or (internet with service with provider)) and (server or hub or router) and (detect\$ or notice or monitor) with (settings or (setup near information) or configuration) and (automatic\$ or update or reconfig\$) same (settings or (setup near information))	US-PGPU B; USPAT	AND	ON	2005/10/24 10:10
S28	22	S19 and "709"/\$.ccls. and detect\$ with (settings or configuration) with (difference or changes) same updat\$	US-PGPU B; USPAT	AND	ON	2005/10/24 10:10
S29	22	S19 and "709"/\$.ccls. and detect\$ with (settings or configuration) with (difference or changes) same (updat\$ or save or store)	US-PGPU B; USPAT	AND	ON	2005/10/24 10:16
S30	6	S19 and "709"/\$.ccls. and server same detect\$ with (settings or configuration) with (difference or changes) same (updat\$ or save or store)	US-PGPU B; USPAT	AND	ON	2005/10/24 10:16
S31	1	("6,314,516").PN.	US-PGPU B; USPAT	OR	OFF	2006/03/21 10:24
S32	1	("20020013855").PN.	US-PGPU B; USPAT	OR	OFF	2006/03/21 10:24
S33	1870278 7	@ad<"20000104"	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	AND	ON	2006/03/21 11:57
S34	2	("20010032237").PN.	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2006/03/21 12:00

	7-	,				
S35	815	S33 and (setup or initial\$) with connection and ((Internet with service with provider) or ISP)	US-PGPU B; USPAT	AND	ON	2006/03/21 13:32
S36	5	S33 and dynamic\$ with generat\$ same (setup or initial\$) with connection and ((Internet with service with provider) or ISP)	US-PGPU B; USPAT	AND	ON	2006/03/21 15:23
S37	30	S33 and dynamic\$ with generat\$ same (setup or initial\$) with connection	US-PGPU B; USPAT	AND	ON	2006/03/21 15:23
S38	56	S33 and dynamic\$ with generat\$ same (setup or initial\$) with (connection or configuration)	US-PGPU B; USPAT	AND	ON	2006/03/21 15:33
S39	106	S33 and dynamic\$ with generat\$ same (setup or initial\$) same (connection or configuration)	US-PGPU B; USPAT	AND	ON	2006/03/21 15:33
S40	7889	S33 and generat\$ same (setup or startup or sett\$) same (connection or configuration)	US-PGPU B; USPAT	AND	ON	2006/03/21 15:33
S41	3124	S33 and generat\$ with (setup or startup or sett\$) same (connection or configuration)	US-PGPU B; USPAT	AND	ON	2006/03/21 15:34
S42	200	S33 and generat\$ near (setup or startup or sett\$) same (connection or configuration)	US-PGPU B; USPAT	AND	ON	2006/03/21 15:34
S43	1870278 7	@ad<"20000104"	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	AND	ON	2006/03/21 15:59

S44	0	@ad<"20000104" and enviroment same (generate or create or build) with setup near server	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	AND	ON	2006/03/21 16:00
S45	4	@ad<"20000104" and (generate or create or build) with setup near server	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	AND	ON	2006/03/21 16:07
S46	58	@ad<"20000104" and (generate or create or build) with setup near infor\$	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	AND	ON	2006/03/21 16:07
S47	15	@ad<"20000104" and (generate or create or build) with setup near infor\$ and "709"/\$.ccls.	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	AND	ON	2006/03/21 16:08
S48	0	@ad<"20000104" and (generate or create or build) with setup near infor\$ and "709"/220,221,222.ccls.	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	AND	ON	2006/03/21 16:08
S49		@ad<"20000104" and (generate or create or build) same setup near infor\$ and "709"/220,221,222.ccls.	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	AND	ON	2006/03/21 16:08

S50	12	@ad<"20000104" and (generate or create or build) same setup with infor\$ and "709"/220,221,222.ccls.	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	AND	ON	2006/03/21 16:20
S51	1094	@ad<"20000104" and (generate or create or build or make) and "709"/220,221, 222.ccls.	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	AND	ON	2006/03/21 16:20
S52	4	@ad<"20000104" and (generate or create or build or make) same connection with setup and "709"/220, 221,222.ccls.	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	AND	ON	2006/03/21 16:28
S53	272	@ad<"20000104" and (generate or create or build or make) with configurat\$ and "709"/220,221,222.ccls.	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	AND	ON	2006/03/21 16:29
S54	13	@ad<"20000104" and (generate or create or build or make) with configurat\$ same setup and "709"/220, 221,222.ccls.	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	AND	ON	2006/03/21 16:29
S55	1	("6427170").PN.	US-P <b>GPU</b> B; U <b>SPAT</b>	OR	OFF	2006/03/22 09:24
S56	1870278 .7	@ad<"20000104"	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	AND	ON	2006/03/22 10:23

		<del></del>			r	
S57	261	S56 and ((global near DHCP) or (global near (IP or (internet adj protocol))))	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	AND	ON	2006/03/22 10:25
S58	10	S56 and ((global near DHCP) or (global near (IP or (internet adj protocol)))) with server	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	AND	ON	2006/03/22 10:26
S59	1	S56 and ((global near DHCP) or (global near (IP or (internet adj protocol)))) with server and 709/220, 221,222.ccls.	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	AND	ON	2006/03/22 12:34
S60	151	S56 and roaming with (server or proxy)	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	AND	ON	2006/03/22 10:45
S61	0	S56 and roaming with (server or proxy) and global near (DHCP or (dynamic with configuration with protocol))	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	AND	ON	2006/03/22 10:46
S62	478	S56 and (foreign or different) with (ISP or (internet near service near provider))	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	AND	ON	2006/03/22 12:34

S63	8	S56 and (foreign or different) with (ISP or (internet near service near provider)) and smartcard	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	AND	ON	2006/03/22 14:14
S64	41	S56 and dhcp same (isp or (internet with service with portal)) same server	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	AND	ON	2006/03/22 14:16
S65	18	S56 and dhcp same (isp or (internet with service with portal)) same server and "709"/\$.ccls.	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	AND	ON	2006/03/23 09:49
S66	1	("4974173").PN.	US-PGPU B; USPAT	OR	OFF	2006/03/23 09:49
S67	1	("6243815").PN.	US-PGPU B; USPAT	OR	OFF	2006/03/23 14:17
S68	1	("6877037").PN.	US-PGPU B; USPAT	OR	OFF	2006/03/23 14:25
S69	1	("6745224").PN.	US-PGPU B; USPAT	OR	OFF	2006/03/23 14:12
S70	1	("6330715").PN.	US-PGPU B; USPAT	OR	OFF	2006/03/23 14:12
S71	1	("6167567").PN.	US-PGPU B; USPAT	OR	OFF	2006/03/23 14:12
S72	1	("6029196").PN.	US-PGPU B; USPAT	OR	OFF	2006/03/23 14:12
S73	1	("6009274").PN.	US-PGPU B; USPAT	OR	OFF	2006/03/23 14:13
S74	1	("5999740").PN.	US-PGPU B; USPAT	OR	OFF	2006/03/23 14:13
S75	1	("5960204").PN.	US-P <b>GPU</b> B; USPAT	OR	OFF	2006/03/23 14:13

S76	1	("5835911").PN.	US-PGPU	OR	OFF	2006/03/23
		,	B; USPAT			14:13
S77	1	("6557054").PN.	US-PGPU B; USPAT	OR	OFF	2006/03/23 14:13
S78	1	("6337899").PN.	US-PGPU B; USPAT	OR	OFF	2006/03/23 14:13
S79	711	@ad<"20000104" and server with manager same configura\$	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	AND	ON	2006/03/23 14:43
S80	6	@ad<"20000104" and server with manager same configura\$ same dhcp same dns	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	AND	ON	2006/03/23 15:06
S81	3	@ad<"20000104" and server with manager same configura\$ same dhcp same dns and "709"/\$.ccls.	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	AND	ON	2006/03/23 14:44
S82	1	("6130892").PN.	US-P <b>GPU</b> B; U <b>SPAT</b>	OR	OFF	2006/03/23 17:09
S83	1	("6012088").PN.	US-PGPU B; USPAT	OR	OFF	2006/03/27 10:42
S84	1	("20020010767").PN.	US-P <b>GPU</b> B; U <b>SPA</b> T	OR	OFF	2006/03/27 11:50
S85	1870330 6	@ad<"20000104"	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	AND	ON	2006/03/27 10:46
S86	1	("6130892").PN.	US-P <b>GPU</b> B; U <b>SPAT</b>	OR	OFF	2006/03/27 10:46

S87	1	("6012088").PN.	US-PGPU B; USPAT	OR	OFF	2006/03/27 11:50	
-----	---	-----------------	---------------------	----	-----	---------------------	--

3/27/06 3:33:04 PM C:\Documents and Settings\BBruckart\My Documents\EAST\Workspaces\09755581.wsp Page 12